

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of June 19, 2024

File Number:

3247

Issued To:

BLUCHER METAL A/S

PUGDALVEJ 1 VILDBJERG, DENMARK

Product:

Pipe And Fittings (Stainless Steel)

Products are in compliance with the following code(s):


Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada
International Plumbing Code (IPC®)

Products are certified to the following standard(s)

ASME A112.3.1-2007 (R2012)

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: BLUCHER METAL A/S

File Number: 3247

Product: Pipe And Fittings (Stainless Steel)

This IAPMO R&T Listing is current as of June 19, 2024

Identification:

Each pipe and fitting shall be permanently marked with the manufacturer's name or trademark, date, type of alloy and size. The product shall also bear the cUPC® certification mark.

Characteristics:

Various stainless steel drain, waste and vent fittings to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Models

Note: The products are made from stainless steel grade AISI 304 and grade AISI 316L. Stainless steel grade AISI 316L is specified by suffix S added to the product type number.

87.5 degrees STAINLESS STEEL WATER TRAP

| Model Number | Length |
|--------------|--------|
| 525.090.050 | 1.97" |
| 525.090.075 | 2.95" |
| 525.090.110 | 4.33" |
| 525.090.125 | 4.92" |
| 525.090.160 | 6.30" |

15 degrees STAINLESS STEEL BENDS

| Model Number | Length |
|--------------|--------|
| 820.015.040 | 1.57" |
| 820.015.050 | 1.97" |
| 820.015.075 | 2.95" |
| 820.015.082 | 3.23" |
| 820.015.110 | 4.33" |
| 820.015.125 | 4.92" |
| 820.015.160 | 6.30" |
| 820.015.200 | 7.87" |
| 820.015.250 | 9.84" |
| 820.015.315 | 12.40" |

30 degrees STAINLESS STEEL BENDS

| Model Number | Length |
|--------------|--------|
| 820.030.040 | 1.57" |
| 820.030.050 | 1.97" |
| 820.030.075 | 2.95" |
| 820.030.082 | 3.23" |
| 820.030.110 | 4.33" |
| 820.030.125 | 4.92" |
| 820.030.160 | 6.30" |
| 820.030.200 | 7.87" |
| 820.030.250 | 9.84" |
| 820.030.315 | 12.40" |

45 degrees STAINLESS STEEL BENDS

| Model Number | Length |
|---------------------|---------------|
| 820.045.040 | 1.57" |
| 820.045.050 | 1.97" |
| 820.045.075 | 2.95" |
| 820.045.082 | 3.23" |
| 820.045.110 | 4.33" |
| 820.045.125 | 4.92" |
| 820.045.160 | 6.30 |
| 820.045.200 | 7.87" |
| 820.045.250 | 9.84" |

87.5 degrees STAINLESS STEEL BENDS

| Model Number | Length |
|---------------------|---------------|
| 820.090.050 | 1.97" |
| 820.090.040 | 1.57" |
| 820.090.075 | 2.95" |
| 820.090.082 | 3.23" |
| 820.090.110 | 4.33" |
| 820.090.125 | 4.92 |
| 820.090.160 | 6.30" |
| 820.090.200 | 7.87 |
| 820.090.250 | 9.84 |

89 degrees STAINLESS STEEL BENDS

| Model Number | Length |
|---------------------|---------------|
| 820.090.050 A | 1.97" |
| 820.090.075 A | 2.95" |
| 820.090.110 A | 4.33" |
| 820.090.160 A | 6.30" |

87.5 degrees LONG RADIUS BENDS

| Model Number | Length |
|---------------------|---------------|
| 821.090.050 | 1.97" |
| 821.090.075 | 2.95" |
| 821.090.110 | 4.33" |
| 821.090.125 | 4.92" |
| 821.090.160 | 6.30" |

87.5 degrees STAINLESS STEEL BENDS WITH ACCESS

| Model Number | Length |
|---------------------|---------------|
| 822.090.075 | 2.95" |
| 822.090.110 | 4.33" |
| 822.090.160 | 6.30" |

90 degrees STAINLESS STEEL BRANCHES

| Model Number | Length |
|---------------------|---------------|
| 830.050.050 A | 1.97" |
| 830.050.075 A | 2.95" |
| 830.050.110 A | 4.33" |
| 830.075.075 A | 2.95" |
| 830.075.110 A | 4.33" |
| 830.110.110 A | 4.33" |
| 830.110.160 A | 6.30" |
| 830.160.160 A | 6.30" |
| 830.160.200 | 7.87" |
| 830.200.200 | 7.87" |
| 830.200.250 | 9.84" |
| 830.250.250 | 9.84" |
| 830.250.315 | 12.40" |
| 830.315.315 | 12.40" |

87.5 degrees LONG RADIUS BENDS

| Model Number | Length |
|---------------------|---------------|
| 821.000.050 | 1.97" |
| 821.000.075 | 2.95" |

45 STAINLESS STEEL degrees OBLIQUE BRANCHES

| Model Number | Length |
|---------------------|---------------|
| 838.040.040 | 1.57" |
| 838.040.050 | 1.97" |
| 838.050.050 | 1.97" |
| 838.050.075 | 2.95" |
| 838.050.082 | 3.23" |
| 838.050.110 | 4.33" |
| 838.075.075 | 2.95" |
| 838.075.082 | 3.23" |
| 838.075.110 | 4.33" |
| 838.075.125 | 4.92" |
| 838.082.082 | 3.23" |

| Model Number | Length |
|---------------------|---------------|
| 838.110.110 | 4.33" |
| 838.110.125 | 4.92" |
| 838.110.160 | 6.30" |
| 838.125.125 | 4.92" |
| 838.160.160 | 6.30" |
| 838.160.200 | 7.87" |
| 838.200.200 | 7.87" |
| 838.200.250 | 9.84" |
| 838.250.250 | 9.84" |
| 838.250.315 | 12.40" |
| 838.315.315 | 12.40" |

Stainless Steel Combination Wye and 1/8 Bends

| Model Number | Length |
|---------------------|---------------|
| 839.050.050 | 1.97" |
| 839.050.075 | 2.95" |
| 839.050.110 | 4.33" |
| 839.075.075 | 2.95" |
| 839.075.110 | 4.33" |
| 839.110.110 | 4.33" |
| 839.110.160 | 6.30" |
| 839.160.160 | 6.30" |
| 839.200.200 | 7.87" |
| 839.250.250 | 9.84" |

STAINLESS STEEL DOUBLE RING-SEAL SOCKET

| Model Number | Length |
|---------------------|---------------|
| 841.040.040 | 1.57" |
| 841.050.050 | 1.97" |
| 841.075.075 | 2.95" |
| 841.082.082 | 3.23" |
| 841.110.110 | 4.33" |
| 841.125.125 | 4.92" |
| 841.160.160 | 6.30" |
| 841.200.200 | 7.87" |
| 841.250.250 | 9.84" |
| 841.315.315 | 12.40" |

SLIDING RING-SEAL SOCKET

| Model Number | Length |
|---------------------|---------------|
| 842.040.040 | 1.57" |
| 842.050.050 | 1.97" |
| 842.075.075 | 2.95" |
| 842.082.082 | 3.23" |
| 842.110.110 | 4.33" |
| 842.125.125 | 4.92" |
| 842.160.160 | 6.30" |
| 842.200.200 | 7.87" |
| 842.250.250 | 9.84" |
| 842.315.315 | 12.40" |

STAINLESS STEEL socket plug

| Model Number | Length |
|---------------------|---------------|
| 844.000.040 | 1.57" |
| 844.000.050 | 1.97" |
| 844.000.075 | 2.95" |
| 844.000.110 | 4.33" |
| 844.000.125 | 4.92" |
| 844.000.160 | 6.30" |
| 844.000.200 | 7.87" |
| 844.000.250 | 9.84" |
| 844.000.315 | 12.40" |
| 844.100.050 | 1.97" |
| 844.100.075 | 2.95" |
| 844.100.082 | 3.23" |
| 844.100.110 | 4.33" |
| 844.218.110 | 4.33" |
| 845.000.160 | 6.30" |

STAINLESS STEEL REDUCERS

| Model Number | Length |
|---------------------|---------------|
| 850.050.032 | 1.26" |
| 850.050.040 | 1.57" |
| 850.075.050 | 1.97" |
| 850.082.075 C | 2.95" |
| 850.110.050 | 1.97" |
| 850.110.075 | 2.95" |
| 850.110.082 | 3.23" |
| 850.125.110 | 4.33" |
| 850.160.110 | 4.33" |

| Model Number | Length |
|---------------------|---------------|
| 850.160.125 | 4.92" |
| 850.200.160 | 6.30" |
| 850.250.200 | 7.87" |
| 850.315.250 | 9.84" |

45 degrees STAINLESS STEEL DOUBLE OBLIQUE BRANCHES

| Model Number | Length |
|---------------------|---------------|
| 836.050.050 | 1.97" |
| 836.050.075 | 2.95" |
| 836.050.110 | 4.33" |
| 836.075.075 | 2.95" |
| 836.075.110 | 4.33" |
| 836.110.110 | 4.33" |
| 836.110.125 | 4.92" |
| 836.110.160 | 6.30" |
| 836.125.125 | 4.92" |
| 836.160.160 | 6.30" |
| 836.200.200 | 7.87" |
| 836.250.250 | 9.84" |

45 degrees STAINLESS STEEL DOUBLE OBLIQUE BRANCHES

| Model Number | Length |
|---------------------|---------------|
| 837.050.050 | 1.97" |
| 837.050.075 | 2.95" |
| 837.050.110 | 4.33" |
| 837.075.075 | 2.95" |
| 837.075.110 | 4.33" |
| 837.110.110 | 4.33" |
| 837.110.160 | 6.30" |
| 837.160.160 | 6.30" |

STAINLESS STEEL FEMALE ADAPTORS - BSP THREAD

| Model Number | Length |
|---------------------|---------------|
| 885.025.050 | 1.97" |
| 885.032.040 | 1.57" |
| 885.032.050 | 1.97" |
| 885.040.040 | 1.57" |
| 885.040.050 | 1.97" |

| Model Number | Length |
|--------------|--------|
| 885.050.050 | 1.97" |

STAINLESS STEEL MALE ADAPTORS - BSP THREAD

| Model Number | Length |
|--------------|--------|
| 886.050.032 | 1.26" |
| 886.050.040 | 1.57" |
| 886.050.050 | 1.97" |

STAINLESS STEEL MALE ADAPTORS - NPT THREAD

| Model Number | Length |
|--------------|--------|
| 886.150.032 | 1.26" |
| 886.150.040 | 1.57" |
| 886.150.050 | 1.97" |

STAINLESS STEEL FEMALE ADAPTORS - NPT THREAD

| Model Number | Length |
|--------------|--------|
| 885.125.050 | 1.97" |
| 885.132.040 | 1.57" |
| 885.132.050 | 1.97" |
| 885.140.040 | 1.57" |
| 885.140.050 | 1.97" |
| 885.150.050 | 1.97" |
| 885.175.075 | 2.95" |

87.5 degrees STAINLESS STEEL BRANCHES

| Model Number | Length |
|--------------|--------|
| 830.040.040 | 1.57" |
| 830.040.050 | 1.97" |
| 830.050.050 | 1.97" |
| 830.050.075 | 2.95" |
| 830.050.082 | 3.23" |
| 830.050.110 | 4.33" |
| 830.050.160 | 6.30" |
| 830.075.075 | 2.95" |
| 830.075.082 | 3.23" |
| 830.075.110 | 4.33" |
| 830.075.125 | 4.92" |
| 830.075.160 | 6.30" |

| Model Number | Length |
|---------------------|---------------|
| 830.082.082 | 3.23" |
| 830.110.110 | 4.33" |
| 830.110.125 | 4.92" |
| 830.110.160 | 6.30" |
| 830.125.125 | 4.92" |
| 830.160.160 | 6.30" |

87.5 degrees STAINLESS STEEL DOUBLE BRANCHES

| Model Number | Length |
|---------------------|---------------|
| 831.050.050 | 1.97" |
| 831.050.075 | 2.95" |
| 831.050.110 | 4.33" |
| 831.050.160 | 6.30" |
| 831.075.075 | 2.95" |
| 831.075.110 | 4.33" |
| 831.110.110 | 4.33" |
| 831.110.160 | 6.30" |
| 831.160.160 | 6.30" |

87.5 degrees STAINLESS STEEL DOUBLE BRANCHES

| Model Number | Length |
|---------------------|---------------|
| 832.050.050 | 1.97" |
| 832.050.075 | 2.95" |
| 832.050.110 | 4.33" |
| 832.075.075 | 2.95" |
| 832.075.110 | 4.33" |
| 832.110.110 | 4.33" |
| 832.110.160 | 6.30" |
| 832.160.160 | 6.30" |

90 degrees STAINLESS STEEL DOUBLE BRANCHES

| Model Number | Length |
|---------------------|---------------|
| 831.050.050 A | 1.97" |
| 831.050.075 A | 2.95" |
| 831.050.110 A | 4.33" |
| 831.075.075 A | 2.95" |
| 831.075.110 A | 4.33" |
| 831.110.110 A | 4.33" |
| 831.110.160 A | 6.30" |

| Model Number | Length |
|---------------|--------|
| 831.160.160 A | 6.30" |

90 degrees STAINLESS STEEL DOUBLE BRANCHES

| Model Number | Length |
|---------------|--------|
| 832.050.050 A | 1.97" |
| 832.050.075 A | 2.95" |
| 832.050.110 A | 4.33" |
| 832.075.075 A | 2.95" |
| 832.075.110 A | 4.33" |
| 832.110.110 A | 4.33" |
| 832.160.160 A | 6.30" |

STAINLESS STEEL EXPANSION SOCKET

| Model Number | Length |
|--------------|--------|
| 843.095.040 | 1.57" |
| 843.105.050 | 1.95" |
| 843.115.075 | 2.95" |
| 843.125.110 | 4.33" |
| 843.140.125 | 4.92" |
| 843.182.160 | 6.30" |

STAINLESS STEEL LONG EXPANSION SOCKET

| Model Number | Length |
|--------------|--------|
| 869.143.050 | 1.97" |
| 869.163.075 | 2.95" |
| 869.170.082 | 3.23" |
| 869.181.110 | 4.33" |
| 869.200.125 | 4.92" |
| 869.238.160 | 6.30" |
| 869.300.200 | 7.87" |

STAINLESS STEEL PIPE

| Model Number | Description | Length |
|--------------|----------------------------------|--------|
| 811.015.040 | SS single hub 1.5" diameter pipe | .5' |
| 811.015.050 | SS single hub 2" diameter pipe | .5' |
| 811.015.075 | SS single hub 3" diameter pipe | .5' |
| 811.015.082 | SS single hub 3.5" diameter pipe | .5' |
| 811.015.110 | SS single hub 4" diameter pipe | .5' |

| Model Number | Description | Length |
|---------------------|----------------------------------|---------------|
| 811.015.125 | SS single hub 5" diameter pipe | .5' |
| 811.015.160 | SS single hub 6" diameter pipe | .5' |
| 811.015.200 | SS single hub 8" diameter pipe | .5' |
| 811.025.040 | SS single hub 1.5" diameter pipe | .8' |
| 811.025.050 | SS single hub 2" diameter pipe | .8' |
| 811.025.075 | SS single hub 3" diameter pipe | .8' |
| 811.025.082 | SS single hub 3.5" diameter pipe | .8' |
| 811.025.110 | SS single hub 4" diameter pipe | .8' |
| 811.025.125 | SS single hub 5" diameter pipe | .8' |
| 811.025.160 | SS single hub 6" diameter pipe | .8' |
| 811.025.200 | SS single hub 8" diameter pipe | .8' |
| 811.050.040 | SS single hub 1.5" diameter pipe | 1.6' |
| 811.050.050 | SS single hub 2" diameter pipe | 1.6' |
| 811.050.075 | SS single hub 3" diameter pipe | 1.6' |
| 811.050.082 | SS single hub 3.5" diameter pipe | 1.6' |
| 811.050.110 | SS single hub 4" diameter pipe | 1.6' |
| 811.050.125 | SS single hub 5" diameter pipe | 1.6' |
| 811.050.160 | SS single hub 6" diameter pipe | 1.6' |
| 811.050.200 | SS single hub 8" diameter pipe | 1.6' |
| 811.050.250 | SS single hub 10" diameter pipe | 1.6' |
| 811.050.315 | SS single hub 12" diameter pipe | 1.6' |
| 811.075.040 | SS single hub 1.5" diameter pipe | 2.5' |
| 811.075.050 | SS single hub 2" diameter pipe | 2.5' |
| 811.075.075 | SS single hub 3" diameter pipe | 2.5' |
| 811.075.082 | SS single hub 3.5" diameter pipe | 2.5' |
| 811.075.110 | SS single hub 4" diameter pipe | 2.5' |
| 811.075.125 | SS single hub 5" diameter pipe | 2.5' |
| 811.075.160 | SS single hub 6" diameter pipe | 2.5' |
| 811.075.200 | SS single hub 8" diameter pipe | 2.5' |
| 811.100.040 | SS single hub 1.5" diameter pipe | 3.3' |
| 811.100.050 | SS single hub 2" diameter pipe | 3.3' |
| 811.100.075 | SS single hub 3" diameter pipe | 3.3' |
| 811.100.082 | SS single hub 3.5" diameter pipe | 3.3' |
| 811.100.110 | SS single hub 4" diameter pipe | 3.3' |
| 811.100.125 | SS single hub 5" diameter pipe | 3.3' |
| 811.100.160 | SS single hub 6" diameter pipe | 3.3' |
| 811.100.200 | SS single hub 8" diameter pipe | 3.3' |
| 811.100.250 | SS single hub 10" diameter pipe | 3.3' |
| 811.100.315 | SS single hub 12" diameter pipe | 3.3' |
| 811.150.040 | SS single hub 1.5" diameter pipe | 4.9' |
| 811.150.050 | SS single hub 2" diameter pipe | 4.9' |
| 811.150.075 | SS single hub 3" diameter pipe | 4.9' |
| 811.150.082 | SS single hub 3.5" diameter pipe | 4.9' |

| Model Number | Description | Length |
|---------------------|----------------------------------|---------------|
| 811.150.110 | SS single hub 4" diameter pipe | 4.9' |
| 811.150.125 | SS single hub 5" diameter pipe | 4.9' |
| 811.150.160 | SS single hub 6" diameter pipe | 4.9' |
| 811.200.040 | SS single hub 1.5" diameter pipe | 6.6' |
| 811.200.050 | SS single hub 2" diameter pipe | 6.6' |
| 811.200.075 | SS single hub 3" diameter pipe | 6.6' |
| 811.200.082 | SS single hub 3.5" diameter pipe | 6.6' |
| 811.200.110 | SS single hub 4" diameter pipe | 6.6' |
| 811.200.125 | SS single hub 5" diameter pipe | 6.6' |
| 811.200.160 | SS single hub 6" diameter pipe | 6.6' |
| 811.200.200 | SS single hub 8" diameter pipe | 6.6' |
| 811.200.250 | SS single hub 10" diameter pipe | 6.6' |
| 811.200.315 | SS single hub 12" diameter pipe | 6.6' |
| 811.300.040 | SS single hub 1.5" diameter pipe | 9.8' |
| 811.300.050 | SS single hub 2" diameter pipe | 9.8' |
| 811.300.075 | SS single hub 3" diameter pipe | 9.8' |
| 811.300.082 | SS single hub 3.5" diameter pipe | 9.8' |
| 811.300.110 | SS single hub 4" diameter pipe | 9.8' |
| 811.300.125 | SS single hub 5" diameter pipe | 9.8' |
| 811.300.160 | SS single hub 6" diameter pipe | 9.8' |
| 811.300.200 | SS single hub 8" diameter pipe | 9.8' |
| 811.300.250 | SS single hub 10" diameter pipe | 9.8' |
| 811.300.315 | SS single hub 12" diameter pipe | 9.8' |
| 811.400.040 | SS single hub 1.5" diameter pipe | 13.1' |
| 811.400.050 | SS single hub 2" diameter pipe | 13.1' |
| 811.400.075 | SS single hub 3" diameter pipe | 13.1' |
| 811.400.082 | SS single hub 3.5" diameter pipe | 13.1' |
| 811.400.110 | SS single hub 4" diameter pipe | 13.1' |
| 811.400.125 | SS single hub 5" diameter pipe | 13.1' |
| 811.400.160 | SS single hub 6" diameter pipe | 13.1' |
| 811.500.110 | SS single hub 4" diameter pipe | 16.4' |
| 811.500.075 | SS single hub 3" diameter pipe | 16.4' |
| 811.500.160 | SS single hub 6" diameter pipe | 16.4' |
| 811.500.040 | SS single hub 1.5" diameter pipe | 16.4' |
| 811.500.050 | SS single hub 2" diameter pipe | 16.4' |
| 811.500.082 | SS single hub 3.5" diameter pipe | 16.4' |
| 811.500.125 | SS single hub 5" diameter pipe | 16.4' |
| 811.600.040 | SS single hub 1.5" diameter pipe | 19.7' |
| 811.600.050 | SS single hub 2" diameter pipe | 19.7' |
| 811.600.075 | SS single hub 3" diameter pipe | 19.7' |
| 811.600.082 | SS single hub 3.5" diameter pipe | 19.7' |
| 811.600.110 | SS single hub 4" diameter pipe | 19.7' |
| 811.600.125 | SS single hub 5" diameter pipe | 19.7' |

| Model Number | Description | Length |
|--------------|--------------------------------|--------|
| 811.600.160 | SS single hub 6" diameter pipe | 19.7' |

45 degrees LARGE RADIUS BENDS

| Model Number | Length |
|--------------|--------|
| 825.045.200 | 7.87" |
| 825.045.250 | 9.84" |
| 825.045.315 | 12.40" |

90 degrees LARGE RADIUS BENDS

| Model Number | Length |
|--------------|--------|
| 825.090.050 | 1.97" |
| 825.090.075 | 2.95" |
| 825.090.110 | 4.33" |
| 825.090.160 | 6.30" |
| 825.090.200 | 7.87" |
| 825.090.250 | 9.84" |
| 825.090.315 | 12.40" |

89 degrees STAINLESS STEEL SWEPT BRANCHES

| Model Number | Length |
|---------------|--------|
| 839.050.050 A | 1.97" |
| 839.050.075 A | 2.95" |
| 839.050.110 A | 4.33" |
| 839.075.075 A | 2.95" |
| 839.075.110 A | 4.33" |
| 839.110.110 A | 4.33" |
| 839.110.160 A | 6.30" |
| 839.160.160 A | 6.30" |
| 848.050.050 A | 1.97" |
| 848.050.075 A | 2.95" |
| 848.050.110 A | 4.33" |
| 848.075.075 A | 2.95" |
| 848.075.110 A | 4.33" |
| 848.110.110 A | 4.33" |
| 848.110.160 A | 6.30" |
| 848.160.160 A | 6.30" |

STAINLESS STEEL PIPE WITH ACCESS

| Model Number | Length |
|---------------------|---------------|
| 840.075.075 | 2.95" |
| 840.110.110 | 4.33" |
| 840.111.110 | 4.33" |
| 840.125.125 | 4.92" |
| 840.160.160 | 6.30" |
| 840.200.200 | 7.87" |

STAINLESS STEEL INCREASERS

| Model Number | Length |
|---------------------|---------------|
| 850.040.050 | 1.97" |
| 850.040.050 C | 1.97" |
| 850.050.075 | 2.95" |
| 850.050.075 C | 2.95" |
| 850.050.082 | 3.23" |
| 850.050.110 | 4.33" |
| 850.050.110 C | 4.33" |
| 850.075.082 C | 3.23" |
| 850.075.110 | 4.33" |
| 850.075.110 C | 4.33" |
| 850.075.160 | 6.30" |
| 850.082.110 | 4.33" |
| 850.082.110 C | 4.33" |
| 850.110.125 | 4.92" |
| 850.110.125 C | 4.92" |
| 850.110.160 | 6.30" |
| 850.110.160 C | 6.30" |
| 850.125.160 | 6.30" |
| 850.125.160 C | 6.30" |
| 850.160.200 | 7.87" |
| 850.160.200 C | 7.87" |
| 850.200.250 | 9.84" |
| 850.200.250 C | 9.84" |
| 850.200.315 | 12.40" |
| 850.200.315 C | 12.40" |
| 850.250.315 | 12.40" |
| 850.250.315 C | 12.40" |

STAINLESS STEEL BOTTLE WATER TRAP

| Model Number | Description | Length |
|---------------------|--------------------|---------------|
| *505.032.050 | UPC only | 1.97" |

| Model Number | Description | Length |
|---------------------|--------------------|---------------|
| *505.040.050 | UPC only | 1.97" |
| *505.050.050 | UPC only | 1.97" |

Stainless Steel P-Trap w/Trap Primer Tapping

| Model Number | Length |
|---------------------|---------------|
| 525.090.050.97 S | 2"(50 mm) |
| 525.090.075.97 S | 3"(75 mm) |
| 525.090.110.97 S | 4"(110 mm) |

Sch 40 Stainless Steel Long-Sweep P-Traps

| Model Number | Length |
|---------------------------|---------------|
| 599-9000212-02 S (PT-3XL) | 3" |
| 599-9000212-01 S (PT-4XL) | 4" |
| 599-9000212-03 S (PT-6XL) | 6" |

Note: Models with the "*" shall bear the UPC mark.